




14-08-2015

## TECHNICAL DATA

<b>ZigZag 2</b>	<b>9</b>	<b>11</b>	<b>13</b>
Number of cells	19	19	19
Surface area (flat) [m <sup>2</sup> ]	9,00	11,00	13,00
Surface area (projected) [m <sup>2</sup> ]	7,91	9,45	11,30
Span (flat) [m]	4,79	5,29	5,92
Span (projected) [m]	4,08	4,38	4,97
Aspect Ratio (flat)	2,55	2,55	2,70
Aspect Ratio (projected)	2,10	2,03	2,19
Max. cord [cm]	214,90	237,60	251,00
Min. cord [cm]	107,40	118,80	125,50
Distance pilot to wing [m]	3,17	3,51	3,93
Total line length [m]	111,09	123,15	139,78
Weight [kg]	2,45	2,75	3,05
Lines	Dyneema: 16650 & 12999 Technora: 1,5 & 1,8 & 2,3		
Fabric	Dominico tex 41 g/m <sup>2</sup>		
	Porcher Hard 40 g/m <sup>2</sup>		
	SR Scrim, SR Laminate 180 g/m <sup>2</sup>		
Risers	PASAMON - Bydgoszcz, Polska		



## Length of the lines

### Zigzag2 – 9

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	br
1	670	667	672	679	3368
2	642	640	646	653	1221
3	601	589	609	643	781
4	624	616	628	646	694
5	541	496	524	590	831
6	539	499	506	540	683
7	1011	983	1090		536

	A	B	C	D	BR
1	1825	1808	2007	2407	1205
2	1884	1881	2057	2415	1527
3	2003	2038	2174	2440	1254
4		1614			

BRI 850

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	br
1	2429	2411	2619	3022	3368
2	2401	2385	2592	2996	3258
3	2419	2407	2604	2991	3139
4	2445	2437	2623	2999	3055
5	2474	2465	2634	2962	2922
6	2478	2468	2620	2914	2773
7	2562	2531	2638		2628

Dyneema 16650 szara:



Dyneema 16650 czerwona:



Technora 7343-190-024:



Dyneema 12999 szara:



Dyneema 12999 czerwona:



Technora 7343-420-041:



Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)

## Length of the lines

### Zigzag2 – 11

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	br
1	735	730	735	745	3730
2	705	705	710	720	1350
3	660	645	670	710	850
4	675	665	680	705	760
5	600	550	580	645	860
6	575	535	535	570	685
7	1110	1070	1180		530

	A	B	C	D	BR
1	2080	2055	2290	2665	1360
2	2140	2135	2345	2675	1705
3	2210	2260	2430	2665	1435
4		1695			

BRI 850

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	br
1	2725	2714	2953	3355	3730
2	2697	2688	2930	3334	3640
3	2714	2710	2945	3330	3486
4	2729	2726	2959	3327	3397
5	2722	2742	2933	3249	3221
6	2697	2721	2897	3174	3049
7	2766	2726	2837		2898

Dyneema 16650 szara:



Dyneema 16650 czerwona:



Technora 7343-190-024:



Dyneema 12999 szara:



Dyneema 12999 czerwona:



Technora 7343-420-041:



Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)

## Length of the lines

### Zigzag2 – 13

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	br
1	816	813	819	828	4154
2	791	788	794	803	1515
3	733	719	743	784	958
4	761	751	766	789	852
5	665	614	645	720	988
6	648	604	611	649	816
7	1176	1154	1288		649

	A	B	C	D	BR
1	2376	2378	2598	3034	1524
2	2464	2482	2674	3061	1936
3	2575	2646	2797	3084	1545
4		2035			

BRI 1100

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	br
1	3121	3125	3354	3793	4154
2	3101	3106	3329	3773	4121
3	3132	3135	3352	3778	3974
4	3161	3170	3371	3785	3870
5	3174	3194	3378	3740	3617
6	3158	3186	3343	3665	3443
7	3139	3122	3257		3282

Dyneema 16650 szara:



Dyneema 16650 czerwona:



Technora 7343-190-024:



Dyneema 12999 szara:



Dyneema 12999 czerwona:



Technora 7343-420-041:



Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)